This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	6457	707/2-5.ccls.	USPAT;	2004/08/04
			US-PGPUB;	11:21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	4	(("5933822") or ("6263328")).PN.	USPAT;	2004/08/04
	-	((0000022	US-PGPUB;	11:22
			EPO; JPO;	11.22
			1 -	
			DERWENT;	
_	444		IBM_TDB	
3	111	(((search\$3 or quer\$3 or criteria or	USPAT;	2004/08/04
		criterion) same (refin\$4 or flter\$3) same	US-PGPUB;	11:26
		(result\$1 or hit\$1 or output)) and	EPO; JPO;	
		(information near retrieval)) and (term\$1 or	DERWENT;	
		word\$1) same user\$1 same quer\$3 same	IBM_TDB	
		(refin\$4 or filter\$3)		
4	78	707/2-5.ccls. and ((((search\$3 or quer\$3 or	USPAT;	2004/08/04
		criteria or criterion) same (refin\$4 or	US-PGPUB;	11:26
		fiter\$3) same (result\$1 or hit\$1 or output))	EPO; JPO;	
		and (information near retrieval)) and	DERWENT;	
		(term\$1 or word\$1) same user\$1 same	1	
		quer\$3 same (refin\$4 or filter\$3))	IBM_TDB	
5	832	, - · · · · · · · · · · · · · · · · · ·		0004/00/04
3	032	(search\$3 or quer\$3 or criteria) same	USPAT;	2004/08/04
		(intersect\$3 or filter\$3) same (result\$1 or	US-PGPUB;	11:27
		output\$1 or hit\$1) same (rank\$3 or scor\$3	EPO; JPO;	
l		or sort\$3)	DERWENT;	
			IBM_TDB	
6	18	(707/2-5.ccls. and ((((search\$3 or quer\$3 or	USPAT;	2004/08/04
		criteria or criterion) same (refin\$4 or	US-PGPUB;	11:28
		fiter\$3) same (result\$1 or hit\$1 or output))	EPO; JPO;	
		and (information near retrieval)) and	DERWENT;	
		(term\$1 or word\$1) same user\$1 same	IBM_TDB	
		quer\$3 same (refin\$4 or filter\$3))) and		
		((search\$3 or quer\$3 or criteria) same		
		(intersect\$3 or filter\$3) same (result\$1 or		
		output\$1 or hit\$1) same (rank\$3 or scor\$3		
		or sort\$3))		
7	796	••	HODAT	0004100104
•	790	704/9.ccls.	USPAT;	2004/08/04
ŀ			US-PGPUB;	11:30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	3	((((search\$3 or quer\$3 or criteria or	USPAT;	2004/08/04
		criterion) same (refin\$4 or fiter\$3) same	US-PGPUB;	11:30
		(result\$1 or hit\$1 or output)) and	EPO; JPO;	
		(information near retrieval)) and (term\$1 or	DERWENT;	
		word\$1) same user\$1 same quer\$3 same	IBM_TDB	
		(refin\$4 or filter\$3)) and 704/9.ccls.	_	

		(linguistic or natural page language) camp	IICDAT.	2003/09/26
-	8	(linguistic or natural near language) same	USPAT;	
		logical same (relation\$4 or form\$1) same	US-PGPUB;	09:40
		rank\$3	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	136	(convert\$3) same (search\$3 or quer\$3 or	USPAT;	2003/09/21
		criteria or criterion) same (logical) same	US-PGPUB;	15:35
		(form\$1 or relation\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((convert\$3) same (search\$3 or quer\$3 or	USPAT:	2003/09/21
	_	criteria or criterion) same (logical) same	US-PGPUB;	15:36
		(form\$1 or relation\$4)) and (geneart\$3 or	EPO; JPO;	10.00
		creat\$3 or build\$3) same compound\$3	DERWENT;	
		<u> </u>	•	
		same logical same retrict\$3 same	IBM_TDB	
		operator\$1		
-	17	((convert\$3) same (search\$3 or quer\$3 or	USPAT;	2003/09/21
		criteria or criterion) same (logical) same	US-PGPUB;	15:37
		(form\$1 or relation\$4)) and (search\$3 or	EPO; JPO;	
		quer\$3) same index\$3 same match\$3 same	DERWENT;	
		(result\$1 or hit\$1 or quer\$3 or compound\$3)	IBM_TDB	
•	17	((convert\$3) same (search\$3 or quer\$3 or	USPAT;	2003/09/21
		criteria or criterion) same (logical) same	US-PGPUB;	15:38
		(form\$1 or relation\$4)) and (rank\$3 or	EPO; JPO;	
		sort\$3 or scor\$3) same logical	DERWENT;	
			IBM_TDB	
_	101	707/1-7,102,104.1.ccls. and compound with	USPAT;	2003/09/21
		quer\$3	US-PGPUB;	15:40
		queito	EPO; JPO;	13.40
			DERWENT;	
			IBM_TDB	
	7	(707/1-7,102,104.1.ccls. and compound with		2002/00/24
-	,	_	USPAT;	2003/09/21
		quer\$3) and (rank\$3 or scor\$3 or sort\$3)	US-PGPUB;	15:41
		same linguistic	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	compound adj lft adj quer\$3	USPAT;	2003/09/25
			US-PGPUB;	14:01
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	compound near ift near quer\$3	USPAT;	2003/09/25
			US-PGPUB;	14:02
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
• ,	3	Ift near quer\$3	USPAT;	2003/09/25
		dunida	US-PGPUB;	14:05
			•	1-1100
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	13	Ift with quer\$3	USPAT;	2003/09/25
		-	US-PGPUB;	14:11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	103	information near retrieval and logical with	USPAT;	2003/09/25
		(form\$1 or relation\$1) and natural near	US-PGPUB;	17:22
		language	EPO; JPO;	17122
		language	DERWENT;	
			IBM_TDB	
	2	("5022022"\ BN	USPAT;	2002/00/25
-		("5933822").PN.	1	2003/09/25
			US-PGPUB;	16:17
			EPO; JPO;	
			DERWENT;	
*			IBM_TDB	
-	0	("5933822and(search\$3orquer\$3)sameindex\$	1 .	2003/09/25
			US-PGPUB;	16:18
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	24	"5933822" and (search\$3 or quer\$3) same	USPAT;	2003/09/25
		index\$3	US-PGPUB;	16:18
			EPO; JPO;	
		· ·	DERWENT;	
			IBM_TDB	
_	1	5933822.pn. and (search\$3 or quer\$3) same	USPAT;	2003/09/25
	·	index\$3	US-PGPUB;	16:18
		Шисхфо	EPO; JPO;	10.10
			-	
			DERWENT;	
	40		IBM_TDB	0000/00/07
•	12	information near retrieval and logical with	USPAT;	2003/09/25
		(form\$1 or relation\$1) same boolean and	US-PGPUB;	17:25
		natural near language	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	information near retrieval and logical with	USPAT;	2003/09/25
		(form\$1 or relation\$1) same boolean same	US-PGPUB;	17:29
		restrict\$3 and natural near language	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	information near retrieval and (combin\$3)	USPAT;	2003/09/25
		same logical with (form\$1 or relation\$1)	US-PGPUB;	17:30
		same boolean same quer\$3 and natural	EPO; JPO;	
		near language	DERWENT;	
			IBM_TDB	
•	6	(combin\$3) same logical with (form\$1 or	USPAT;	2003/09/25
		relation\$1) same quer\$3 and natural near	US-PGPUB;	17:34
		language	EPO; JPO;	11107
		33-	DERWENT;	
			· · ·	
	I		IBM_TDB	

	7	(combin\$3 or integrat\$3) same logical with	USPAT;	2003/09/25
		(form\$1 or relation\$1) same quer\$3 and natural near language	US-PGPUB; EPO; JPO;	17:35
		natural near ranguage	DERWENT;	
-	435	(combin\$3 or integrat\$3) same quer\$3 and	IBM_TDB USPAT;	2003/09/25
		natural near language	US-PGPUB;	17:35
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	86	((combin\$3 or integrat\$3) same quer\$3 and	USPAT;	2003/09/25
		natural near language) and (logical with (form\$1 or relation\$5))	US-PGPUB; EPO; JPO;	17:38
		(**************************************	DERWENT;	
	18	//	IBM_TDB	2002/00/05
-	10	((combin\$3 or integrat\$3) same quer\$3 and natural near language) and combin\$3 same	USPAT; US-PGPUB;	2003/09/25 17:40
		(logical with (form\$1 or relation\$5))	EPO; JPO;	
			DERWENT; IBM_TDB	
-	771	((combin\$3 or integrat\$3) same quer\$3 and	USPAT;	2003/09/25
		natural near language) and combin\$3 same	US-PGPUB;	17:41
		(logical with (form\$1 or relation\$5)) or parse near tree	EPO; JPO; DERWENT;	
		Paros real tree	IBM_TDB	
-	22	((combin\$3 or integrat\$3) same quer\$3 and	USPAT;	2003/09/25
		natural near language) and combin\$3 same ((logical with (form\$1 or relation\$5)) or	US-PGPUB; EPO; JPO;	17:41
		parse near tree)	DERWENT;	
-	626	natural near language and (intersect\$3 or	IBM_TDB USPAT;	2003/09/25
	020	filter\$3) same (result\$1 or output\$1 or	US-PGPUB;	17:54
		hit\$1)	EPO; JPO;	
			DERWENT; IBM_TDB	
-	15695	natural near language and (intersect\$3 or	USPAT;	2003/09/26
		filter\$3) (logical) same (form\$1 or relation\$5) same (result\$1 or output\$1 or	US-PGPUB;	13:39
		hit\$1)	EPO; JPO; DERWENT;	
			IBM_TDB	
	17	natural near language and (intersect\$3 or filter\$3) same (logical) same (form\$1 or	USPAT; US-PGPUB;	2003/09/25 17:54
		relation\$5) same (result\$1 or output\$1 or	EPO; JPO;	
		hit\$1)	DERWENT;	
-	1213	(search\$3 or quer\$3 or criteria or criterion)	IBM_TDB USPAT;	2003/09/26
		same (refin\$4 or fiter\$3) same (result\$1 or	US-PGPUB;	09:42
		hit\$1 or output)	EPO; JPO;	
			DERWENT; IBM_TDB	

•	230	((search\$3 or quer\$3 or criteria or	USPAT;	2003/09/26
		criterion) same (refin\$4 or fiter\$3) same	US-PGPUB;	09:44
		(result\$1 or hit\$1 or output)) and	EPO; JPO;	
		(information near retrieval)	DERWENT;	
			IBM_TDB	
_	85	(((search\$3 or quer\$3 or criteria or	USPAT;	2003/09/26
		criterion) same (refin\$4 or fiter\$3) same	US-PGPUB;	09:45
		(result\$1 or hit\$1 or output)) and	EPO; JPO;	00140
		(information near retrieval)) and (term\$1 or	DERWENT;	
		word\$1) same user\$1 same quer\$3 same	IBM_TDB	
	1	(refin\$4 or filter\$3)	15155	
_	21	(natural near language) and (intersect\$3)	USPAT;	2003/09/26
		same quer\$3 same (result\$1 or output or	US-PGPUB;	10:15
		hit\$1)	EPO; JPO;	10.13
			DERWENT;	
			IBM_TDB	
-	45	(information near retrieval) and	USPAT;	2003/09/26
		(intersect\$3) same quer\$3 same (result\$1	US-PGPUB;	10:15
		or output or hit\$1)	EPO; JPO;	10:13
		or output or meany	DERWENT;	
			IBM_TDB	
_	1277	natural near language and (intersect\$3 or	USPAT;	2003/09/26
_	12,,	filter\$3 or common) same (result\$1 or	US-PGPUB:	13:47
		output\$1 or hit\$1)		13:47
		outputs of ints i)	EPO; JPO;	
			DERWENT;	
_	463	/matural many language and (interpreted as	IBM_TDB	0000/00/00
-	403	(natural near language and (intersect\$3 or	USPAT;	2003/09/26
		filter\$3 or common) same (result\$1 or	US-PGPUB;	13:41
		output\$1 or hit\$1)) and (rank\$3 or scor\$3 or	EPO; JPO;	
		sort\$3) same (result\$1 or hit\$1 or output)	DERWENT;	
_	121	(noticed many language and (interes at 62)	IBM_TDB	0000/00/00
-	121	(natural near language and (intersect\$3 or	USPAT;	2003/09/26
		filter\$3 or common) same (result\$1 or	US-PGPUB;	13:41
		output\$1 or hit\$1)) and (rank\$3 or scor\$3 or	EPO; JPO;	
		sort\$3) same (result\$1 or hit\$1 or output)	DERWENT;	
_	207056	same (low\$3 or higher\$1)	IBM_TDB	0000/00/00
-	207956	((intersect\$3 or filter\$3 or common) same	USPAT;	2003/09/26
		(result\$1 or output\$1 or hit\$1)).ab.	US-PGPUB;	13:48
			EPO; JPO;	
			DERWENT;	
•	450040	//:ton	IBM_TDB	
-	150843	((intersect\$3 or filter\$3) same (result\$1 or	USPAT;	2003/09/26
		output\$1 or hit\$1)).ab.	US-PGPUB;	13:48
			EPO; JPO;	
			DERWENT;	
	0000		IBM_TDB	
-	3888	((intersect\$3) with (result\$1 or output\$1 or	USPAT;	2003/09/26
		hit\$1)).ab.	US-PGPUB;	13:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

•	USPAT;	2003/09/26
, ,	US-PGPUB;	13:50
l) with (form\$1 or relation\$5)	EPO; JPO;	
	DERWENT;	
	IBM_TDB	
sect\$3) with (result\$1 or output\$1 or	USPAT;	2003/09/26
ab.) and (rank\$3 or scor\$3 or sort\$3)	US-PGPUB;	13:51
result\$1 or output or hit\$1) same	EPO; JPO;	
	DERWENT;	
	IBM_TDB	
\$3 or quer\$3 or criteria) same	USPAT;	2003/09/26
ect\$3 or filter\$3) same (result\$1 or	US-PGPUB;	13:59
61 or hit\$1)	EPO; JPO;	
•	DERWENT:	
	IBM_TDB	
\$3 or quer\$3 or criteria) same	USPAT;	2003/09/26
ect\$3 or filter\$3) same two same	US-PGPUB;	13:59
61 or output\$1 or hit\$1)	EPO; JPO;	
• • •	1	
	IBM TDB	
\$3 or quer\$3 or criteria) same	USPAT;	2003/09/26
- · · · · · · · · · · · · · · · · · · ·	•	14:01
• •		
• •		
• • •		
\$3 or quer\$3 or criteria) same	USPAT:	2003/09/26
- · · · · · · · · · · · · · · · · · · ·	,	15:04
	1	
	1	
	DERWENT;	
	sect\$3) with (result\$1 or output\$1 or ab.) and (natural near language) and (not with (form\$1 or relation\$5) sect\$3) with (result\$1 or output\$1 or ab.) and (rank\$3 or scor\$3 or sort\$3) result\$1 or output or hit\$1) same a\$3 or quer\$3 or criteria) same ect\$3 or filter\$3) same (result\$1 or \$1 or hit\$1) a\$3 or quer\$3 or criteria) same ect\$3 or filter\$3) same two same act\$3 or scor\$3 or sort\$3) a\$3 or quer\$3 or criteria) same act\$3 or scor\$3 or sort\$3) a\$3 or quer\$3 or criteria) same act\$3 or scor\$3 or sort\$3)	ab.) and (natural near language) and l) with (form\$1 or relation\$5) BPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J

	48	("6292830"	IICDAT.	2003/09/26
-	70	"4870568"	USPAT; US-PGPUB;	15:12
	1	"5873080"		15:12
			EPO; JPO;	
		"5893094"	DERWENT;	
		"5933822"	IBM_TDB	
		"6112204"		
		"5963940"		
		"6026388"		
		"6178417"		
		"6208988"		
		"6424980"		
		"5706497"		
		"5864846"		
		"5864845"		
		"6163782"		
		"5454105"		
		"6012053"		
		"6009422"		
		"5515488"		
		"6226635"		
		"6226635"		
}		"5745745"		
		"5943669"		
		"5933145").pn.		
-	21	("6292830"	USPAT;	2003/09/26
		"4870568"	US-PGPUB;	15:14
		"5873080"	EPO; JPO;	
		"5893094"	DERWENT;	
		"5933822"	IBM_TDB	
		"6112204"		
		"5963940"		
		"6026388"		
		"6178417"		
		"6208988"		
		"6424980"		
		"5706497"		
		"5864846"		
		"5864845"		
		"6163782"		
		"5454105"		
		"6012053"		
		"6009422"		*
	1	"5515488"		
	l l		1	
		"6226635"		
		"6226635" "6226635"		
		"6226635" "6226635" "5745745"		
		"6226635" "6226635" "5745745" "5943669"		
		"6226635" "6226635" "5745745"		

- 14	("6111574"	USPAT;	2003/09/26
	"5999925"	US-PGPUB;	15:17
	"6115706"	EPO; JPO;	
	"6253217"	DERWENT;	
	"6266682"	IBM_TDB	
	"6269380"		
	"6308179"		
	"6324551"		
	"6370553"		
	"6397231"		
	"4939689"		
	"5519857"		
	"5619709"		
	"5757983"		
	"5794178"		
	"5873081"		
	"5907840"		
	"5926811"		
	"5991755"		
	"5995962"		
	"5999664"		
	"6094647"		
	"6128624"		
	"6138114"		
	"6205443"		
	"6269368").pn. and (result\$1 or hit\$1 or		
	output) same (rank\$3 or scor\$3 or sort\$3)		

_	46	("6405190"	USPAT;	2003/09/26
		"6453312"	US-PGPUB;	15:30
		"6393428"	EPO; JPO;	13130
		"6009198"	DERWENT;	
		"5802518"	IBM_TDB	
		"5987448"	15111_155	
		"5794227"		
		"6226638"		
		"6226638"		
	-	"6591261"		
		"5696962"	•	
		"5826261"		
		"5671404"		
		"5907837"		
		"6101491"		
		"6182063"		
		"6581057"		
		"5220625"		
		"5577241"		
	Ī	"5634051"		
		"5640553" "5650740"		
		"5659742"		
		"5675788"		
		"5717914"		
		"5721902"		
		"5737734"		
		"5742816"		
		"5822731"		
		"5826260"		
		"5870740"		
		"5873076"		
		"5913208"		
		"5915249"		
		"5946678"		
		"6026409"		
		"6055528"		
		"6094648"		
		"6098066"		
		"6101492"		
		"6175830"		
		"6212517"		
		"6212517"		
		"6297824"		
		"6327590"		
		"6347317"		
		"6353825"		
		"6415282"		·
		"6424973"		
		"6430558"		
		"6446065").pn. and (result\$1 or hit\$1 or		
		output) same (rank\$3 or scor\$3 or sort\$3)		

•	879	707/1-7,104.1.ccis. and ((natural near	USPAT;	2003/09/26
		language) or linguistic or artificial near	US-PGPUB;	15:31
		intelligent)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	63	(707/1-7,104.1.ccls. and ((natural near	USPAT;	2003/09/26
		language) or linguistic or artificial near	US-PGPUB;	15:32
		intelligent)) and (search\$3 or quer\$3 or	EPO; JPO;	
		criteria) same logical with (form\$1 or	DERWENT;	
		relation\$4)	IBM_TDB	
_	2	("5933822").PN.	USPAT;	2003/09/27
	_	(00000=	US-PGPUB;	14:12
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	0	("logicalnearformneartriple\$1andquer\$3sam	_	-0004/85/8/001
		(logicalilearioi mileartripiea randquerassam	•	10 0 .
			US-PGPUB;	14:18
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	3033	logical near form nea rtriple\$1 and quer\$3	USPAT;	2004/02/10
		same natural near language\$1	US-PGPUB;	14:19
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	5	logical near form near triple\$1 and quer\$3	USPAT;	2004/02/10
		same natural near language\$1	US-PGPUB;	14:34
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	1	(logical near form near triple\$1 or	USPAT;	2004/02/10
	_	gramma\$5 near relation\$5) same boolean	US-PGPUB;	14:40
		near operator\$1 and quer\$3 same natural	EPO; JPO;	1-11-10
		near language\$1	DERWENT;	
		near languagev i	IBM_TDB	
_	1	(logical near form or gramma\$5 near		2004/02/10
-		relation\$5) same boolean near operator\$1	USPAT;	
		•	US-PGPUB;	14:42
		and quer\$3 same natural near language\$1	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	51	(logical near form or gramma\$5 near	USPAT;	2004/02/10
		relation\$5) and quer\$3 same natural near	US-PGPUB;	14:42
		language\$1	EPO; JPO;	
	ļ		DERWENT;	
			IBM_TDB	
-	25	((logical near form or gramma\$5 near	USPAT;	2004/02/10
		relation\$5) and quer\$3 same natural near	US-PGPUB;	15:45
		language\$1) and boolean	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

	33	((logical near form or gramma\$5 near	USPAT;	2004/02/10
		relation\$5 or subject-verb or verb-subject or	US-PGPUB;	16:38
		verb near subject\$1) and quer\$3 same	EPO; JPO;	
		natural near language\$1) and boolean	DERWENT;	
			IBM TDB	
-	2	("5546579").PN.	USPAT;	2004/02/10
		,	US-PGPUB;	17:22
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	4	triple same (translat\$4 or process\$3 or	USPAT;	2004/02/10
	-	analy\$4) and boolean near operator\$1 and	US-PGPUB;	17:25
		quer\$3	EPO; JPO;	17123
		quei vo	DERWENT;	
			1	
_	0	triple came (verb subject or subject work)	IBM_TDB	2004/02/10
-	U	triple same (verb-subject or subject-verb)	USPAT;	
		and boolean near operator\$1 and quer\$3	US-PGPUB;	17:26
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	2	(verb-subject or subject-verb or subject	USPAT;	2004/02/10
		near verb) and boolean near operator\$1 and	US-PGPUB;	17:33
		quer\$3	EPO; JPO;	
ĺ			DERWENT;	
			IBM_TDB	
-	0	triple\$1 same dependenc\$3 and boolean	USPAT;	2004/02/10
		near operator\$1 and quer\$3	US-PGPUB;	17:35
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	triple\$1 same relation\$5 and boolean near	USPAT;	2004/02/10
		operator\$1 and quer\$3	US-PGPUB;	17:35
			EPO; JPO;	
ł			DERWENT;	
			IBM_TDB	
-	2	("5309359").PN.	USPAT;	2004/02/11
			US-PGPUB;	12:55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("5794050").PN.	USPAT;	2004/02/11
		•	US-PGPUB;	14:39
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	t-expression\$1 and natural near language	USPAT;	2004/02/11
	-	and boolean near operator\$1	US-PGPUB;	14:39
		Pasient trans abarmany (EPO; JPO;	1100
			DERWENT;	

	4	t-expression\$1 and natural near language	USPAT;	2004/02/11
	_	t-expression and material near language	US-PGPUB;	14:40
			EPO; JPO;	,
			DERWENT;	
			•	:
	_	4 averagian¢4	IBM_TDB	2004/02/11
-	7	t-expression\$1	USPAT;	
			US-PGPUB;	14:47
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/44
-	9	quer\$3 same (grammatical or structur\$3)	USPAT;	2004/02/11
		near relation\$5 and (boolean) and natural	US-PGPUB;	14:51
		near language\$1	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	178	(grammatical or structur\$3 or logical) near	USPAT;	2004/02/11
		(relation\$5 for form\$1) and (boolean) and	US-PGPUB;	14:52
		natural near language\$1	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	40	(grammatical or structur\$3 or logical) near	USPAT;	2004/02/11
		(relation\$5 for form\$1) and (boolean near	US-PGPUB;	15:02
		operator\$1) and natural near language\$1	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	("6675159").PN.	USPAT;	2004/02/11
		,	US-PGPUB;	15:54
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	(restrictive or boolean) near operator same	USPAT;	2004/02/11
		(advantageous or benefit\$1)	US-PGPUB;	15:55
			EPO; JPO;	10.00
] i		DERWENT;	
			IBM_TDB	
_	222	(restrictive or boolean) near operator and	USPAT;	2004/02/11
		(advantageous or benefit\$1)	US-PGPUB;	15:55
		(and all adjusted to	EPO; JPO;	-0.00
			DERWENT;	
			IBM_TDB	
	35	quer\$3 same (restrictive or boolean) same	-	2004/02/11
_	33	(advantageous or benefit\$1)	USPAT;	
		(auvantageous of benefit#1)	US-PGPUB;	15:56
			EPO; JPO;	
			DERWENT;	
	700	(5114au62) an internación (5114au62) a constitut (5114au62)	IBM_TDB	0004/00/15
-	760	(filter\$3 or intersect\$3) same (result\$1 or	USPAT;	2004/02/12
•		hit\$1 or output\$1) and (compound\$3 or	US-PGPUB;	13:51
		combin\$3) same rank\$3	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	95	(word\$3 or key-word\$1) same (filter\$3 or	USPAT;	2004/02/12
		intersect\$3) same (logic or concept\$1)	US-PGPUB;	13:54
		same (result\$1 or hit\$1 or output\$1) same	EPO; JPO;	
		(compound\$3 or combin\$3)	DERWENT;	
			IBM_TDB	
	1962	(rank\$3 or scor\$3) same (intersect\$3 or	USPAT;	2004/02/12
		filter\$3) same (result\$1 or hit\$1 or	US-PGPUB;	13:55
		output\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	4	((word\$3 or key-word\$1) same (filter\$3 or	USPAT;	2004/02/12
		intersect\$3) same (logic or concept\$1)	US-PGPUB;	13:55
		same (result\$1 or hit\$1 or output\$1) same	EPO; JPO;	
		(compound\$3 or combin\$3)) and (rank\$3 or	DERWENT;	
		scor\$3) same (intersect\$3 or filter\$3) same	IBM_TDB	
		(result\$1 or hit\$1 or output\$1)		